

Screwed fittings



RO-FI Precision in Stainless Steel


337

Hex. Hose Nipple conical thread, 1.4401 / AISI 316



www.rofi.de

NW	d	E	L	SW	kg
6	1/8"	7 mm	41,0 mm	12 mm	0,01
8	1/4"	9 mm	47,0 mm	15 mm	0,02
10	3/8"	11 mm	56,5 mm	19 mm	0,04
15	1/2"	14 mm	66,0 mm	23 mm	0,06
20	3/4"	20 mm	70,0 mm	29 mm	0,12
25	1"	26 mm	75,0 mm	38 mm	0,15
32	1 1/4"	33 mm	81,5 mm	46 mm	0,22
40	1 1/2"	39 mm	93,5 mm	53 mm	0,30
50	2"	51 mm	100,0 mm	64 mm	0,43
65	2 1/2"	66 mm	112,0 mm	80 mm	1,40
80	3"	77 mm	123,0 mm	92 mm	1,00



Other hose connections on request



www.rofi.de

South

Karl-Arnold-Straße 7
D-73230 Kirchheim/Teck
Tel. +49 (0) 70 21 94 35-0
Fax +49 (0) 70 21 5 60 31
kirchheim@rofi.de

North Export

Mittelgönrather Straße 15
D-42655 Solingen
Tel. +49 (0) 2 12 2 32 54-0
Fax +49 (0) 2 12 2 32 54-11
solingen@rofi.de

Middle

Ostendstraße 3
D-63110 Rodgau-Niederroden
Tel. +49 (0) 61 06 2 85 79-30
Fax +49 (0) 61 06 2 22 08
rodgau@rofi.de

RO-FI Precision in Stainless Steel



Reliability by quality management - ISO 9001