

Screwed fittings




RO-FI Precision in Stainless Steel

331

Hex. Plug acc. DIN 910 cylindric thread, 1.4401 / AISI 316



NW	d1	SW	L	kg
6	1/8"	10,0 mm	17 mm	0,01
8	1/4"	13,0 mm	21 mm	0,03
10	3/8"	17,0 mm	21 mm	0,04
15	1/2"	19,0 mm	26 mm	0,07
20	3/4"	24,0 mm	30 mm	0,13
25	1"	27,0 mm	32 mm	0,20
32	1 1/4"	30,0 mm	33 mm	0,31
40	1 1/2"	30,0 mm	33 mm	0,38
50	2"	36,0 mm	40 mm	0,72



11.2007_1.000



www.rofi.de

South

Karl-Arnold-Straße 7
D-73230 Kirchheim/Teck
Tel. +49 (0) 70 21 94 35-0
Fax +49 (0) 70 21 5 60 31
kirchheim@rofi.de

North Export

Mittelgönrather Straße 15
D-42655 Solingen
Tel. +49 (0) 2 12 2 32 54-0
Fax +49 (0) 2 12 2 32 54-11
solingen@rofi.de

Middle

Ostendstraße 3
D-63110 Rodgau-Niederroden
Tel. +49 (0) 61 06 2 85 79-30
Fax +49 (0) 61 06 2 22 08
rodgau@rofi.de

RO-FI Precision in Stainless Steel



Reliability by quality management - ISO 9001