

## Screwed fittings




RO-FI Precision in Stainless Steel

337 G

Hose Nipple with conical thread, 1.4571 / AISI 316Ti



NW	d <sub>1</sub>	E	L	kg
8	1/4"	13,5 mm	70,0 mm	0,04
10	3/8"	17,2 mm	70,0 mm	0,04
15	1/2"	21,3 mm	70,0 mm	0,08
20	3/4"	26,9 mm	70,0 mm	0,09
25	1"	33,7 mm	70,0 mm	0,13
32	1 1/4"	42,4 mm	70,0 mm	0,18
40	1 1/2"	48,3 mm	100,0 mm	0,30
50	2"	60,3 mm	100,0 mm	0,41
65	2 1/2"	76,1 mm	120,0 mm	0,68
80	3"	88,9 mm	120,0 mm	0,95





www.rofi.de

#### South

Karl-Arnold-Straße 7  
D-73230 Kirchheim/Teck  
Tel. +49 (0) 70 21 94 35-0  
Fax +49 (0) 70 21 5 60 31  
kirchheim@rofi.de

#### North Export

Mittelgönrather Straße 15  
D-42655 Solingen  
Tel. +49 (0) 2 12 2 32 54-0  
Fax +49 (0) 2 12 2 32 54-11  
solingen@rofi.de

#### Middle

Ostendstraße 3  
D-63110 Rodgau-Niederroden  
Tel. +49 (0) 61 06 2 85 79-30  
Fax +49 (0) 61 06 2 22 08  
rodgau@rofi.de

RO-FI Precision in Stainless Steel



Reliability by quality management - ISO 9001