

Screwed fittings



RO-FI Precision in Stainless Steel


312 A

Union conical male-/female thread, 1.4401 / AISI 316



11.2007_1.000

NW	d1/d2	L	SW	kg
8	1/4"	53,0 mm	31 mm	0,14
10	3/8"	57,0 mm	37 mm	0,19
15	1/2"	50,5 mm	42 mm	0,20
20	3/4"	57,0 mm	49 mm	0,29
25	1"	63,0 mm	59 mm	0,43
32	1 1/4"	70,5 mm	69 mm	0,57
40	1 1/2"	74,5 mm	78 mm	0,80
50	2"	83,5 mm	93 mm	1,20
65	2 1/2"	86,0 mm	112 mm	1,83
80	3"	106,5 mm	126 mm	3,02





www.rofi.de

South

Karl-Arnold-Straße 7
D-73230 Kirchheim/Teck
Tel. +49 (0) 70 21 94 35-0
Fax +49 (0) 70 21 5 60 31
kirchheim@rofi.de

North Export

Mittelgönrather Straße 15
D-42655 Solingen
Tel. +49 (0) 2 12 2 32 54-0
Fax +49 (0) 2 12 2 32 54-11
solingen@rofi.de

Middle

Ostendstraße 3
D-63110 Rodgau-Niederroden
Tel. +49 (0) 61 06 2 85 79-30
Fax +49 (0) 61 06 2 22 08
rodgau@rofi.de

RO-FI Precision in Stainless Steel



Reliability by quality management - ISO 9001