


# Cutting Ring Unions



RO-FI Precision in Stainless Steel


## Male Stud Elbow Coupling

BSP / metric taper

\*) By use of taper inserts PN 630, otherwise PN 400.

Sizes are approximate dimensions at tightened cap nut.

Supplementary sizes and executions on request.



line	tube-		l3	i	S2	S3	Male Stud - Coupling G	ca. kg for %St. 1.4571	Ordernr.	PLS	3	Male Sud Coupling M		ca. kg for %St. 1.4571	Ordernr.	PLS
	AD	l2										M	M			
LL very easy PN 100	4	21	11,0	17	8	10	R 1/8 keg	1,7	GLL 4	057	11	M 8 x 1,0 keg	1,6	FLL 4	034	
	6	21	9,5	17	8	12	R 1/8 keg	1,7	GLL 6		11	M 10 x 1,0 keg	1,7	FLL 6		
	8	23	11,5	20	8	14	R 1/8 keg	2,4	GLL 8		12	M 10 x 1,0 keg	2,4	FLL 8		
L slightly PN 250	6	27	12,0	20	8	14	R 1/8 keg	3,2	GL 6	058	13	M 10 x 1,0 keg	3,2	FL 6	035	
	8	29	14,0	26	12	17	R 1/4 keg	4,6	GL 8		15	M 12 x 1,5 keg	3,8	FL 8		
	10	30	15,0	27	12	19	R 1/4 keg	5,7	GL 10		14	M 14 x 1,5 keg	5,8	FL 10		
	12	32	17,0	28	12	22	R 3/8 keg	7,8	GL 12		17	M 16 x 1,5 keg	11,7	FL 12		
	15	36	21,0	34	14	27	R 1/2 keg	13,7	GL 15		19	M 18 x 1,5 keg	12,6	FL 15		
PN 160	18	40	23,5	36	14	32	R 1/2 keg	18,9	GL 18	058	27	M 22 x 1,5 keg	18,5	FL 18	035	
S*) heavy PN 630	6	31	16,0	26	14	17	R 1/4 keg	5,5	GS 6	059	14	M 12 x 1,5 keg	6,5	FS 6	036	
	8	32	17,0	27	12	19	R 1/4 keg	6,9	GS 8		17	M 14 x 1,5 keg	7,5	FS 8		
	10	34	17,5	28	12	22	R 3/8 keg	10,0	GS 10		17	M 16 x 1,5 keg	12,0	FS 10		
	12	38	21,5	28	12	24	R 3/8 keg	11,5	GS 12		22	M 18 x 1,5 keg	13,5	FS 12		
14	40	22,0	32	14	27	R 1/2 keg	15,7	GS 14	19	M 20 x 1,5 keg	15,3	FS 14				
PN 400	16	43	24,5	32	14	30	R 1/2 keg	19,1	GS 16	059	25	M 22 x 1,5 keg	19,1	FS 16	036	

11.2007\_1.000

www.rofi.de



www.rofi.de

#### South

Karl-Arnold-Straße 7  
D-73230 Kirchheim/Teck  
Tel. +49 (0) 70 21 94 35-0  
Fax +49 (0) 70 21 5 60 31  
kirchheim@rofi.de

#### North Export

Mittelgönrather Straße 15  
D-42655 Solingen  
Tel. +49 (0) 2 12 2 32 54-0  
Fax +49 (0) 2 12 2 32 54-11  
solingen@rofi.de

#### Middle

Ostendstraße 3  
D-63110 Rodgau-Niederroden  
Tel. +49 (0) 61 06 2 85 79-30  
Fax +49 (0) 61 06 2 22 08  
rodgau@rofi.de

RO-FI Precision in Stainless Steel



Reliability by quality management - ISO 9001