

## Pipes / Hollow Bars / Bars



RO-FI Precision in Stainless Steel

## Bright bars DIN 671 /h9

centerless, ground and polished (partly cold drawn and polished), random lengths 3–3,3 m, inspection certificate DIN 50049/3.1B respectively EN 10204/3.1B

Other dimensions or qualities on request.

dimension mm	weight kg/m	material		
		4301	4305	4571
3	0,06	x	x	x
4	0,10	x	x	x
5	0,15	x	x	x
6	0,22	x	x	x
7	0,30	x	x	
8	0,40	x	x	x
9	0,50	x	x	
10	0,62	x	x	x
11	0,75	x	x	
12	0,89	x	x	x
13	1,04	x	x	
14	1,21	x	x	x
15	1,39	x	x	x
16	1,58	x	x	x
17	1,78	x	x	
18	2,00	x	x	x
19	2,23	x	x	
20	2,47	x	x	x
21	2,72		x	
22	2,98	x	x	x
24	3,55	x	x	
25	3,85	x	x	x
26	4,17	x	x	x
28	4,83	x	x	x
30	5,55	x	x	x
32	6,31	x	x	
34	7,12	x	x	
35	7,55	x	x	x
36	7,99	x	x	x
38	8,90	x	x	
40	9,87	x	x	x
42	10,88	x	x	x
45	12,49	x	x	x
48	14,21	x	x	
50	15,41	x	x	x
55	18,65	x	x	x
60	22,20	x	x	x
65	26,05	x	x	x
70	30,21	x	x	x
75	34,68	x	x	x
80	39,46	x	x	x
85	44,55		x	
90	49,94	x	x	
100	61,65	x	x	x



www.rofi.de

#### South

Karl-Arnold-Straße 7  
D-73230 Kirchheim/Teck  
Tel. +49 (0) 70 21 94 35-0  
Fax +49 (0) 70 21 5 60 31  
kirchheim@rofi.de

#### North Export

Mittelgönrather Straße 15  
D-42655 Solingen  
Tel. +49 (0) 2 12 2 32 54-0  
Fax +49 (0) 2 12 2 32 54-11  
solingen@rofi.de

#### Middle

Ostendstraße 3  
D-63110 Rodgau-Niederroden  
Tel. +49 (0) 61 06 2 85 79-30  
Fax +49 (0) 61 06 2 22 08  
rodgau@rofi.de

RO-FI Precision in Stainless Steel



Reliability by quality management - ISO 9001