

Pipes / Hollow Bars / Bars



RO-FI Precision in Stainless Steel

Flat bars DIN 1017

Rolled, picked, random lengths 4–5 m, inspection certificate
 DIN 50049/3.1B respectively EN 10204/3.1B (for the most part
 with AD-W2)

Other dimensions or qualities on request.

Grinded / polished: Delivery-time approx. 14 days

dimension mm	weight kg/m	material	
		4301	4571
10 x 4	0,32	x	
5	0,39	x	
12 x 4	0,38	x	
5	0,47	x	
6	0,57	x	
15 x 3	0,35	x	
4	0,47	x	
5	0,59	x	
6	0,71	x	
8	0,94	x	
10	1,18	x	
20 x 3	0,47	x	x
4	0,63	x	x
5	0,79	x	x
6	0,94	x	x
8	1,26	x	x
10	1,57	x	x
12	1,88	x	x
15	2,36	x	x
25 x 3	0,59	x	x
4	0,79	x	x
5	0,98	x	x
6	1,18	x	x
8	1,57	x	x
10	1,96	x	x
12	2,36	x	x
15	2,94	x	x
20	3,93	x	
30 x 3	0,71	x	x
4	0,94	x	x
5	1,18	x	x
6	1,41	x	x
8	1,88	x	x
10	2,36	x	x
12	2,83	x	x
15	3,53	x	x
20	4,71	x	x
25	5,89	x	

dimension mm	weight kg/m	material	
		4301	4571
35 x 3	0,82	x	
4	1,10	x	x
5	1,27	x	x
6	1,65	x	x
8	2,20	x	x
10	2,75	x	x
12	3,30	x	x
15	4,12	x	
20	5,50	x	
25	6,87	x	
30	8,04	x	
40 x 3	0,94	x	x
4	1,26	x	x
5	1,57	x	x
6	1,88	x	x
8	2,51	x	x
10	3,14	x	x
12	3,77	x	x
15	4,71	x	x
20	6,28	x	x
25	7,85	x	x
30	9,42	x	
45 x 5	1,77	x	
6	2,12	x	
8	2,83	x	
10	3,53	x	
15	5,30	x	
20	7,07	x	
50 x 4	1,57	x	x
5	1,96	x	x
6	2,36	x	x
8	3,14	x	x
10	3,93	x	x
12	4,71	x	x
15	5,89	x	x
20	7,85	x	x
25	9,81	x	x
30	11,78	x	x
40	15,70	x	

11.2007_1.000

Flat bars DIN 1017

rolled, pickled, random lengths 4–5 m, inspection certificate
DIN 50049/3.1B respectively EN 10204/3.1B (for the most part
with AD-W2)

Other dimensions or qualities on request.

Grinded / polished: Delivery-time approx. 14 days

dimension mm	weight kg/m	material	
		4301	4571
55 x 8	3,45	x	
60 x 4	1,88	x	
5	2,36	x	x
6	2,83	x	x
8	3,77	x	x
10	4,71	x	x
12	5,65	x	x
15	7,07	x	x
20	9,42	x	x
25	11,78	x	x
30	14,13	x	x
40	18,85	x	
70 x 5	2,75	x	
6	3,30	x	x
8	4,40	x	x
10	5,50	x	x
12	6,59	x	x
15	8,24	x	x
20	10,99	x	x
25	13,74	x	
30	16,49	x	x
40	21,98	x	
80 x 5	3,14	x	x
6	3,77	x	x
8	5,02	x	x
10	6,28	x	x
12	7,54	x	x
15	9,42	x	x
20	12,56	x	x
25	15,70	x	x
30	18,84	x	x
40	25,12	x	
50	31,40	x	
90 x 10	7,07	x	
12	8,48	x	
15	10,60	x	
20	14,13	x	

dimension mm	weight kg/m	material	
		4301	4571
100 x 5	3,93	x	
6	4,71	x	x
8	6,28	x	x
10	7,85	x	x
12	9,42	x	x
15	11,78	x	x
20	15,70	x	x
25	19,63	x	x
30	23,55	x	x
40	31,40	x	
50	39,26	x	
110 x 8	6,91	x	
10	8,64	x	
120 x 8	7,54	x	x
10	9,42	x	x
12	11,30	x	
15	14,13	x	x
20	18,84	x	x
25	23,55	x	
30	28,26	x	
130 x 10	10,21	x	
12	12,25	x	
15	15,31	x	
20	20,41	x	
140 x 10	10,99	x	x
15	16,49	x	
20	21,98	x	
30	32,97	x	
150 x 8	9,42	x	
10	11,77	x	x
12	14,13	x	
15	17,66	x	x
20	23,55	x	x
25	29,44	x	
30	35,33	x	

11.2007_1.000

www.rofi.de

Flat bars cut DIN 1017

random lengths 4 m, inspection certificate DIN 50049/3.1B
 respectively EN 10204/3.1B (for the most part with AD-W2)

Other dimensions or qualities on request.

Grinded / polished: Delivery-time approx. 14 days

dimension mm	weight kg/m	material	
		4301	4571
10 x 3	0,24	x	
4	0,32	x	
5	0,39	x	
12 x 4	0,38	x	
15 x 3	0,35	x	x
4	0,47	x	x
5	0,59	x	x
6	0,71	x	x
20 x 3	0,47	x	x
4	0,63	x	x
5	0,79	x	x
6	0,94	x	x
8	1,26	x	x
10	1,57	x	
25 x 3	0,59	x	x
4	0,79	x	x
5	0,98	x	x
6	1,18	x	x
8	1,57	x	
10	1,96	x	
30 x 3	0,71	x	x
4	0,94	x	x
5	1,18	x	x
6	1,41	x	x
8	1,88	x	x
10	2,36	x	
12	2,83	x	
35 x 3	0,82	x	x
4	1,10	x	x
5	1,27	x	x
6	1,65	x	x
8	2,20	x	x
10	2,75	x	
40 x 3	0,94	x	x
4	1,26	x	x
5	1,57	x	x
6	1,88	x	x
8	2,51	x	x
10	3,14	x	x
12	3,77	x	
45 x 5	1,77	x	

dimension mm	weight kg/m	material	
		4301	4571
50 x 3	1,18	x	
4	1,57	x	x
5	1,96	x	x
6	2,36	x	x
8	3,14	x	x
10	3,93	x	x
12	4,71	x	
60 x 4	1,89	x	
5	2,36	x	x
6	2,83	x	x
8	3,77	x	x
10	4,71	x	x
70 x 5	2,75	x	x
6	3,30	x	x
8	4,40	x	
10	5,50	x	
80 x 4	2,51	x	
5	3,14	x	x
6	3,77	x	x
8	5,02	x	x
10	6,28	x	x
90 x 6	4,24	x	
100 x 5	3,93	x	x
6	4,71	x	x
8	6,28	x	x
10	7,85	x	x
12	9,42	x	
110 x 8	6,91	x	
120 x 5	4,71	x	
6	5,65	x	
8	7,54	x	
10	9,42	x	
130 x 10	10,21	x	
140 x 10	10,99	x	
150 x 5	5,89	x	
6	7,07	x	
8	9,42	x	x
10	11,77	x	
12	14,13	x	

11.2007_1.000

Flat bars bright DIN 174

cold drawn, random lengths 3–4 m, inspection certificate
DIN 50049/3.1B respectively EN 10204/3.1B

diameter mm	weight kg/m	material 4301	diameter mm	weight kg/m	material 4301	diameter mm	weight kg/m	material 4301
10 x 3	0,24	x	30 x 3	0,71	x	60 x 5	2,36	x
5	0,39	x	4	0,94	x	6	2,83	x
12 x 4	0,38	x	5	1,18	x	8	3,77	x
6	0,57	x	6	1,41	x	10	4,71	x
15 x 3	0,35	x	8	1,88	x	12	5,65	x
4	0,47	x	10	2,36	x	15	7,07	x
5	0,59	x	12	2,83	x	20	9,42	x
6	0,71	x	15	3,53	x	25	11,78	x
8	0,94	x	20	4,71	x	30	14,13	x
10	1,18	x	35 x 5	1,27	x	70 x 5	2,75	x
20 x 3	0,47	x	6	1,65	x	6	3,30	x
4	0,63	x	8	2,20	x	8	4,40	x
5	0,79	x	10	2,75	x	10	5,50	x
6	0,94	x	40 x 3	0,94	x	15	8,24	x
8	1,26	x	4	1,26	x	20	10,99	x
10	1,57	x	5	1,57	x	25	13,74	x
12	1,88	x	6	1,88	x	80 x 5	3,14	x
15	2,36	x	8	2,51	x	6	3,77	x
25 x 3	0,59	x	10	3,14	x	8	5,02	x
4	0,79	x	12	3,77	x	10	6,28	x
5	0,98	x	15	4,71	x	12	7,54	x
6	1,18	x	20	6,28	x	15	9,42	x
8	1,57	x	25	7,85	x	20	12,56	x
10	1,96	x	50 x 4	1,57	x	30	18,84	x
12	2,36	x	5	1,96	x	90 x 10	7,07	x
15	2,94	x	6	2,36	x	100 x 5	3,93	x
			8	3,14	x	6	4,71	x
			10	3,93	x	8	6,28	x
			12	4,71	x	10	7,85	x
			15	5,89	x	12	9,42	x
			20	7,85	x	15	11,78	x
			25	9,81	x	20	15,70	x
			30	11,78	x			

11.2007_1.000

www.rofi.de



www.rofi.de

South

Karl-Arnold-Straße 7
D-73230 Kirchheim/Teck
Tel. +49 (0) 70 21 94 35-0
Fax +49 (0) 70 21 5 60 31
kirchheim@rofi.de

North Export

Mittelgönrather Straße 15
D-42655 Solingen
Tel. +49 (0) 2 12 2 32 54-0
Fax +49 (0) 2 12 2 32 54-11
solingen@rofi.de

Middle

Ostendstraße 3
D-63110 Rodgau-Niederroden
Tel. +49 (0) 61 06 2 85 79-30
Fax +49 (0) 61 06 2 22 08
rodgau@rofi.de

RO-FI Precision in Stainless Steel



Reliability by quality management - ISO 9001