

Pipes / Hollow Bars / Bars



RO-FI Precision in Stainless Steel

Hot rolled bars DIN 1013

Rolled, rough turned, random lengths 3–6 m,
inspection certificate DIN 50049/3.1B respectively
EN 10204/3.1B (for the most part with AD-w2)

Other dimensions or qualities on request.

dimension mm	weight kg/m	material	
		4301	4571
8	0,40	x	x
10	0,62	x	x
12	0,89	x	x
14	1,21	x	x
15	1,39	x	x
16	1,58	x	x
18	2,00	x	x
20	2,47	x	x
22	2,98	x	x
24	3,55	x	x
25	3,85	x	x
28	4,83	x	x
30	5,55	x	x
32	6,31	x	x
35	7,55	x	x
36	7,99	x	x
38	8,90	x	x
40	9,87	x	x
42	10,88	x	x
45	12,49	x	x
50	15,41	x	x
55	18,65	x	x
60	22,20	x	x
65	26,05	x	x
70	30,21	x	x
75	34,68	x	x
80	39,46	x	x
85	44,55	x	x
90	49,94	x	x
95	55,64	x	x
100	61,65	x	x
105	67,97	x	x
110	74,60	x	x
120	88,74	x	x
130	104,14	x	x
140	120,78	x	x
150	138,65	x	x
160	157,75	x	x
170	178,09	x	x
180	199,66	x	x
200	246,49	x	x
220	298,40	x	x
250	385,14	x	x

11.2007_1,000



www.rofi.de

South

Karl-Arnold-Straße 7
D-73230 Kirchheim/Teck
Tel. +49 (0) 70 21 94 35-0
Fax +49 (0) 70 21 5 60 31
kirchheim@rofi.de

North Export

Mittelgönrather Straße 15
D-42655 Solingen
Tel. +49 (0) 2 12 2 32 54-0
Fax +49 (0) 2 12 2 32 54-11
solingen@rofi.de

Middle

Ostendstraße 3
D-63110 Rodgau-Niederroden
Tel. +49 (0) 61 06 2 85 79-30
Fax +49 (0) 61 06 2 22 08
rodgau@rofi.de

RO-FI Precision in Stainless Steel



Reliability by quality management - ISO 9001